Eva-tech**=**[®]

EVA-TECH MATERIAL SAFETY DATA SHEET

Version: 1.0 | 211108012SHF04 | 12/07/2021



Before installing, please ensure you have downloaded the latest version of this MSDS by scanning this code.

www.eva-last.com

A PRODUCT BY



Intertek

Safety Data Sheet (SDS) Report

SDS ID: 211108012SHF04

Applicant:

ANHUI SENTAI WPC GROUP

Issue Date: 2021-12-07

Guohua Road No.6 , Economic and Technological Development Zone of Guangde County, 242237,Anhui, China

Sample Description:

The sample information was submitted and identified on client's behalf to be:

Product Name	:	EVA-TECH
Physical State	:	Solid
Data Received	:	Nov 30, 2021
Data Reviewed	:	Dec 07, 2021

Service Requested:

Based on the information provided by the applicant, the Safety Data Sheet (SDS) was generated in accordance with US HazCom 2012, for details please refer to attached pages.

Authorized By:

On Behalf Of Regulatory Affairs in Intertek Testing Services Ltd., Shanghai

Annaway

Anna Wang Technical Manager

This report shall not be reproduced except in full, without the written approval of the laboratory.

Intertek Health, Environmental & Regulatory Services (HERS)

5th Floor Building No.86, 1198 QinZhou Road (North), Cao He jing Development Zone, ShangHai China Zip:200233



Safety Data Sheet

according to US HazCom 2012 Issue date: 12/7/2021 Revision date: 12/7/2021 Version: 1.0 SDS ID: 211108012SHF04

SECTION 1: Identification	SECTION 1: Identification		
1.1. Identification			
Product form	: Mixture		
Trade name	: EVA-TECH		
1.2. Recommended use and restriction	s on use		
Use of the substance/mixture	: Construction Mate	rial	
1.3. Supplier			
Supplier ANHUI SENTAI WPC GROUP Guohua Road No.6 , Economic and Technolog T 0086-19956339011/0086-19956337511 winnie@sentaigroup.com	ical Development Zone of C	Guangde County, 242237,Anhui, China	
1.4. Emergency telephone number			
No additional information available			
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification			
Not classified			
2.2. GHS Label elements, including pre	cautionary statements		
GHS US labeling	-		
No labeling applicable			
2.3. Other hazards which do not result in classification			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/Information on ingredients			
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name		Product identifier	%
Wood Fiber Dust		N/A	56

Name	Product identifier	%
Wood Fiber Dust	N/A	56
Polyethylene	CAS-No.: 9002-88-4	25
Calcium carbonate	CAS-No.: 471-34-1	15

Safety Data Sheet

according to US HazCom 2012

Name	Product identifier	%
Hexadecanoic acid, 2,3-dihydroxypropyl ester	CAS-No.: 542-44-9	
GLYCERYL ISOSTEARATE	CAS-No.: 66085-00-5	2
Zinc stearate	CAS-No.: 557-05-1	- 2
Pentaerythritol	CAS-No.: 115-77-5	
1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products with 2,4,4-trimethyl-2-pentanamine	CAS-No.: 70624-18-9	1.2
Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate)	CAS-No.: 6683-19-8	0.8

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects (acute and delayed)	

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.	
5.2. Specific hazards arising from the chen	nical	
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Evacuate unnecessary personnel.

Safety Data Sheet

according to US HazCom 2012

Protective equipment: Wear personal protective equipment.Emergency procedures: Ventilate spillage area.6.1.2. For emergency responders: Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	6.1.1. For non-emergency personnel	
Protective equipment : Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure		
personal protective equipment. For further information refer to section 8: "Exposure	6.1.2. For emergency responders	
	Protective equipment	personal protective equipment. For further information refer to section 8: "Exposure

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up	
For containment Methods for cleaning up	 Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimize
Other information	generation of dust. Store away from other materials. Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Provide good ventilation in process area to prevent formation of vapor.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	: Keep only in the original container in a cool well ventilated place. Keep container closed when not in use.
Suitable packaging material	: PET polyester film

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Calcium carbonate (471-34-1)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 mg/m ³	
USA - NIOSH - Occupational Exposure Limits	·	
NIOSH REL (TWA) 10.5 mg/m ³		
Pentaerythritol (115-77-5)		
USA - ACGIH - Occupational Exposure Limits		
Local name Pentaerythritol		
ACGIH OEL TWA	10 mg/m ³	

Safety Data Sheet

according to US HazCom 2012

Remark (ACGiH) TLV® Basis: Gi irr Regulatory reference ACGIH 2021 USA - OSHA - Occupational Exposure Limits Pentaerythritol Local name Pentaerythritol OSHA PEL (TWA) [1] 15 mg/m² (total dust) 5 mg/m² (respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NIOSH - Occupational Exposure Limits 10 mg/m² (total dust) 5 mg/m² (respirable dust) NIOSH REL (TWA) 10 mg/m² (inclai dust) 5 mg/m² (respirable dust) Zinc stearate (557-05-1) USA - ACGIH - Occupational Exposure Limits Local name Zinc stearates ACGIH OEL TWA 10 mg/m² (inclaidble particulate matter (Stearates) 3 mg/m² (respirable particulate matter (Stearates) ACGIH OEL TWA 10 mg/m² (inclaidble particulate matter (Stearates) Regulatory reference ACGIH 2021 USA - Occupational Exposure Limits Inc stearate Local name Zinc stearate OSHA - PEL (TWA) [1] 15 mg/m² (total dust) 5 mg/m² (respirable fraction) QSHA PEL (TWA) [1] 15 mg/m² (total dust) 5 mg/m² (respirable fraction) OSHA PEL (Celling) 15 mg/m² (total dust) 5 mg/m² (respirable fraction) OSHA - Occupational Exposure Limits <th colspan="3">Pentaerythritol (115-77-5)</th>	Pentaerythritol (115-77-5)		
Regulatory reference ACGIH 2021 USA - OSHA - Occupational Exposure Limits Pentaerythritol OSHA PEL (TWA) [1] Sin gmm* (respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NIOSH - Occupational Exposure Limits To mgm* (respirable dust) Sin gmm* (respirable fraction) Sin gmm* (respirable dust) Zinc stearate (S57-05-1) To mgm* (respirable dust) USA - ACGIH - Occupational Exposure Limits Zinc stearates ACGIH OC Zinc stearates ACGIH OC Zinc stearates ACGIH OC Zinc stearates ACGIH OC TuVe Basis: LRT in: Notations: A4 (Not classifiable as a Human Carcinogen) Remark (ACGIH) TuVe Basis: LRT in: Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGIH 2021 USA - NOCHAPEL (Celling) Sin gmm* (respirable fraction) OSHA PEL (Celling) Sin gmm* (respirable fraction) OSHA PEL (Celling) Sin gmm* (respirable fraction) Requilatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NOSH - Occupational Exposure Limits Singm* (respirable fraction) Regulatory reference (
USA - OSCHA - Occupational Exposure Limits Local name Penlaerythritol OSHA PEL (TWA) [1] 15 mg/m² (talal dusl) 5 mg/m² (talal dusl) S mg/m² (talal dusl) 5 mg/m² (mspirable dusl) Zinc stearate (557-05-1) USA - ACCH - Occupational Exposure Limits Local name Zinc stearates ACGH OCL TWA 10 mg/m² (mblable particulate matter (Stearates) Remark (ACGH) TLVB Basis: LRT in: Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGH 2021 USA - OSCHA - Occupational Exposure Limits In segurate (Total dusl) S mg/m² (talal dusl) 5 mg/m² (talal dusl) S mg/m² (talal dusl) 5			
Local name Pentaerythritol OSHA PEL (TWA) [1] 15 mg/m² (rotal dust) 5 mg/m² (respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NOSH - Occupational Exposure Limits It omg/m² (respirable dust) Regulatory reference (US-OSHA) 10 mg/m² (respirable dust) Zinc stearate (557-05-1) USA - ACOH - Occupational Exposure Limits Local name Zinc stearates ACGH OCL TWA 10 mg/m² (respirable particulate matter (Stearates) Remark (ACGH) TLV® Basis: IRT in: Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGH 2021 USA - OSCHA - Occupational Exposure Limits In org/m² (respirable particulate matter (Stearates) Local name Zinc stearate OSHA PEL (TWA) [1] 15 mg/m² (rotal dust) S mg/m² (rotal dust) S mg			
OSHA PEL (TWA) [1] 15 mg/m² (total dust) 5 mg/m² (total dust) 5 mg/m² (total dust) Regulatory reference (US-OSHA) OSHA Annotated Table 2.1 NOSH REL (TWA) 10 mg/m² (total dust) 5 mg/m² (total dust) Zinc stearate (557-05-1) 5 mg/m² (total dust) Zinc stearate (557-05-1) 2 mg/m² (malable particulate matter (Stearates) Colan name Zinc stearates ACGIH OEL TWA 10 mg/m² (malable particulate matter (Stearates) Remark (ACGIH) T.VB Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGIH 2021 USA - OSCHA - Occupational Exposure Limits 10 mg/m² (malable particulate matter (Stearates) Cost A - Occupational Exposure Limits 115 mg/m² (total dust) Local name Zinc stearate OSHA PEL (TWA) [1] 15 mg/m² (total dust) S mg/m² (total dust) S mg/m² (total dust) S mg/m² (total du		Pontoon/thritol	
Singmin (respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NIOSH - Occupational Exposure Limits Iongrim ⁴ (total dust) NIOSH REL (TWA) Iongrim ⁴ (total dust) Zinc stearate (557-05-1) USA - ACCIH - Occupational Exposure Limits Local name Zinc stearates ACCIH OEL TWA 10 mg/m ⁴ (inhalable particulate matter (Stearates) ACGIH OEL TWA 10 Mg/m ⁴ (inhalable particulate matter (Stearates) Remark (ACCIH) TUVB Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGIH 2021 USA - OSCHA - Occupational Exposure Limits Zinc stearate Cocal name Zinc stearate OSHA PEL (TWA) [1] 15 mg/m ⁴ (total dust) Singmin ⁴ (total dust) Singmin ⁴ (total dust) NOSH REL (TWA) [1] Io mg/m ⁴ (total dust) Singmin ⁴ (total dust) Singmin ⁴ (total dust)			
USA - NIOSH - Occupational Exposure Limits NIOSH REL (TWA) 10 mg/m² (total dust) 5 mg/m² (respirable dust) Zinc stearate (557-05-1) USA - ACCIH - Occupational Exposure Limits Local name Zinc stearates ACGIH Occupational Exposure Limits 10 mg/m² (inhalable particulate matter (Stearates) 3 mg/m² (respirable particulate matter (Stearates) 3 mg/m² (respirable particulate matter (Stearates) Remark (ACGIH) TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGIH 2021 USA - Occupational Exposure Limits Ion g/m² (total dust) Local name Zinc stearate OSHA PEL (TWA) [1] 15 mg/m² (total dust) 5 mg/m² (respirable fraction) Smg/m² (respirable fraction) OSHA PEL (Ceiling) 15 mg/m² (total dust) 6 mg/m² (respirable fraction) Smg/m² (total dust) 7 mg/m² (respirable fraction) OSHA ANOSH - Occupational Exposure Limits NIOSH REL (TWA) [1] 15 mg/m² (total dust) 8 mg/m² (respirable fraction) OSHA PEL (Ceiling) 0SHA PEL (Ceiling) 15 mg/m² (rotal dust) 5 mg/m² (respirable dust) 5 mg/m² (respirable fraction) Soler A NIOSH - Occupational Exposure Limits 5 mg/m² (respirable dust)			
NIOSH REL (TWA) 10 mg/m² (total dust) 6 mg/m² (respirable dust) Zinc stearate (557-05-1) USA - ACGIH - Occupational Exposure Limits Local name Zinc stearates ACGIH OEL TWA 10 mg/m² (inbalable particulate matter (Stearates) 3 mg/m² (respirable particulate matter (Stearates) Remark (ACGIH) TLV® Basis: LRT in: Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGIH 2021 USA - Occupational Exposure Limits Zinc stearate Local name Zinc stearate OSHA PEL (CWA) [1] 15 mg/m² (rotal dust) 5 mg/m² (respirable fraction) OSHA PEL (Celling) 15 mg/m² (rotal dust) 5 mg/m² (respirable fraction) OSHA PEL (CUNA) OSHA Annotated Table Z-1 USA - NOSH - Occupational Exposure Limits Total dust) 5 mg/m² (respirable dust) NIOSH REL (TWA) 10 mg/m² (total dust) 5 mg/m² (respirable dust) St. Advort elease controls : Ensure good ventilation of the work station. Revionmental exposure controls : Ensure good ventilation of the work station. Rovior release to the environmen	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Image: Simg/mit (respirable dust) Zinc stearate (557-05-1) USA -ACGIH - Occupational Exposure Limits Local name Zinc stearates ACGIH OEL TWA 10 mg/mit (inhalable particulate matter (Stearates) Sing/mit (respirable particulate matter (Stearates) 3 mg/mit (respirable particulate matter (Stearates) Remark (ACGIH) TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGIH 2021 USA - OSCHA - Occupational Exposure Limits Local name Local name Zinc stearate OSHA PEL (TWA) [1] 5 mg/mit (rotal dust) Sing/mit (respirable fraction) Smg/mit (respirable fraction) OSHA PEL (Celling) 15 mg/mit (rotal dust) Sing/mit (respirable fraction) Smg/mit (respirable fraction) OSHA - Occupational Exposure Limits Smg/mit (respirable fraction) NOSH REL (TWA) [1] 10 mg/mit (rotal dust) Sing/mit (respirable dust) Smg/mit (respirable dust) Sing/mit (respirable dust) Smg/mit (respi	USA - NIOSH - Occupational Exposure Limits		
USA - ACGIH - Occupational Exposure Limits Zinc stearates Local name Zinc stearates ACGIH OEL TWA 10 mg/m² (inchalable particulate matter (Stearates) 3 mg/m² (respirable particulate matter (Stearates) Remark (ACGIH) TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGIH 2021 USA - OSHA - Occupational Exposure Limits Cocl I 2021 Local name Zinc stearate OSHA - Occupational Exposure Limits In mg/m² (total dust) 5 mg/m² (respirable fraction) OSHA PEL (TWA) [1] 15 mg/m² (total dust) 5 mg/m² (respirable fraction) OSHA PEL (Ceiling) 15 mg/m² (total dust) 5 mg/m² (respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NIOSH - Occupational Exposure Limits In mg/m² (total dust) 5 mg/m² (respirable dust) NIOSH REL (TWA) 10 mg/m² (total dust) 5 mg/m² (respirable dust) S2. Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls S3. Individual protection measures/Personal void release to the environment. S3. Individual protection measures/Personal void release to the environment. S4 mad protection: Every total cust	NIOSH REL (TWA)		
Local name Zinc stearates ACGIH OEL TWA 10 mg/m² (inhalable particulate matter (Stearates) 3 mg/m² (respirable particulate matter (Stearates) Remark (ACGIH) TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGIH 2021 USA - OSCHA - Occupational Exposure Limits Exposure Carcinogen Local name Zinc stearate OSHA PEL (TWA) [1] 15 mg/m² (rospirable fraction) OSHA PEL (Ceiling) 15 mg/m² (rospirable fraction) OSHA PEL (Ceiling) 15 mg/m² (rospirable fraction) OSHA PEL (Ceiling) 15 mg/m² (rospirable fraction) OSHA NOSH - Occupational Exposure Limits Sing/m² (rospirable fraction) NOSH REL (TWA) 10 mg/m² (rotal dust) 5 mg/m² (rospirable fraction) OSHA - NIOSH - Occupational Exposure Limits Sing/m² (rospirable fraction) NIOSH REL (TWA) 10 mg/m² (rotal dust) 5 mg/m² (rospirable dust) S. Appropriate engineering controls Ensure good ventilation of the work station. Environmental exposure controls Ensure good ventilation of the work station. Environmental exposure controls Ensure good ventilation of the work station. Environmental exposure controls Ensure good ventiliation of the work station.	Zinc stearate (557-05-1)		
ACGIH OEL TWA 10 mg/m² (inhalable particulate matter (Stearates) ACGIH OEL TWA 10 mg/m² (inhalable particulate matter (Stearates) Remark (ACGIH) TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGIH 2021 USA - OSHA - Occupational Exposure Limits Encode aname Local name Zinc stearate OSHA PEL (TWA) [1] 15 mg/m² (total dust) 5 mg/m² (respirable fraction) Smg/m² (total dust) 6 mg/m² (respirable fraction) Smg/m² (total dust) 7 mg/m² (respirable fraction) OSHA PEL (Ceiling) 0 SHA PEL (Ceiling) 0 SHA Annotated Table Z-1 USA - NOSH - Occupational Exposure Limits Smg/m² (total dust) 8 ng/m² (respirable fraction) Smg/m² (respirable fraction) NOSH REL (TWA) 10 mg/m² (total dust) 8 ng/m² (respirable fraction) Smg/m² (respirable fraction) 8.2. Appropriate engineering controls Ensure good ventilation of the work station. Environmental exposure controls Ensure good ventilation of the work station. Environmental exposure controls Ensure good ventilation of the work station. Environmental exposure controls Ensure good ventilation of the work station.	USA - ACGIH - Occupational Exposure Limits		
a mg/mg (respirable particulate matter (Stearates) Remark (ACGIH) TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen) Regulatory reference ACGIH 2021 USA - OSHA - Occupational Exposure Limits Inc stearate Local name Zinc stearate OSHA PEL (TWA) [1] 15 mg/mg/m² (total dust) 5 mg/m² (respirable fraction) OSHA PEL (Ceiling) 0SHA mg/m² (total dust) 5 mg/m² (respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NOSH - Occupational Exposure Limits Simg/m² (total dust) NIOSH REL (TWA) 10 mg/m² (total dust) s mg/m² (respirable fraction) Simg/m² (respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NIOSH - Occupational Exposure Limits Simg/m² (total dust) s mg/m² (respirable dust) Simg/m² (respirable dust) Simg/m² (respirable dust) Simg/m² (respirable dust) S. Antividual protection measures/Personal Evocutive equipment Simg/m² (respirable dust) Basi Individual protection measures/Personal Evocutive equipment Evoid release to the environment. Bar protection: Evoid release to the environment. Eye protection: Evoid release to the environment. <td>Local name</td> <td>Zinc stearates</td>	Local name	Zinc stearates	
Regulatory reference ACGIH 2021 USA - OSHA - Occupational Exposure Limits Ico stearate Local name Zinc stearate OSHA PEL (TWA) [1] 15 mg/m³ (total dust) 5 mg/m³ (respirable fraction) OSHA PEL (Ceiling) 15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction) OSHA PEL (Ceiling) 15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NIOSH - Occupational Exposure Limits In mg/m³ (total dust) 5 mg/m³ (respirable dust) NIOSH REL (TWA) 10 mg/m³ (total dust) 5 mg/m³ (respirable dust) S. Appropriate engineering controls Ensure good ventilation of the work station. Environmental exposure controls Appropriate engineering controls Ensure good ventilation of the work station. Environmental exposure controls S. Individual protection measures/Personal protective equipment Hand protection: Impermeable protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Safety glasses. Safety glasses	ACGIH OEL TWA		
USA - OSHA - Occupational Exposure Limits Local name Zinc stearate OSHA PEL (TWA) [1] 15 mg/m² (total dust) 5 mg/m² (respirable fraction) OSHA PEL (Ceiling) 15 mg/m² (Total dust) 5 mg/m² (Respirable fraction) OSHA PEL (Ceiling) 0SHA Annotated Table Z-1 USA - NIOSH - Occupational Exposure Limits 0SHA Annotated Table Z-1 NIOSH REL (TWA) 10 mg/m² (total dust) 5 mg/m² (respirable dust) 8.2. Appropriate engineering controls 10 mg/m² (total dust) 5 mg/m² (respirable dust) 8.2. Appropriate engineering controls Ensure good ventilation of the work station. Environmental exposure controls 8.3. Individual protection measures/Personal protective equipment Hand protection: Hand protection: Eve protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Skin and body protection: Safety glasses	Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Local name Zinc stearate OSHA PEL (TWA) [1] 15 mg/m³ (total dust) 5 mg/m³ (respirable fraction) OSHA PEL (Ceiling) 15 mg/m³ (Total dust) 5 mg/m³ (Total dust) 5 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NIOSH - Occupational Exposure Limits 10 mg/m³ (total dust) 5 mg/m³ (total dust) 82. Appropriate engineering controls I omg/m³ (total dust) 5 mg/m³ (total dust) 83. Individual protection measures/Personal void release to the environment. 83. Individual protection measures/Personal void release to the environment. 84. Individual protection gloves Every protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Skin and body protection: Safety glasses.	Regulatory reference	ACGIH 2021	
OSHA PEL (TWA) [1] 15 mg/m³ (total dust) 5 mg/m³ (respirable fraction) OSHA PEL (Ceiling) 15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NIOSH - Occupational Exposure Limits I0 mg/m³ (total dust) 5 mg/m³ (respirable dust) NIOSH REL (TWA) 10 mg/m³ (total dust) 5 mg/m³ (respirable dust) Sz. Appropriate engineering controls Ensure good ventilation of the work station. 5 wg/m³ (respirable dust) Sz. Appropriate engineering controls Ensure good ventilation of the work station. 5 wg/m³ (respirable dust) Appropriate engineering controls Ensure good ventilation of the work station. 5 wg/m³ (respirable dust) Appropriate engineering controls Ensure good ventilation of the work station. 5 wg/m³ (respirable dust) Appropriate engineering controls Ensure good ventilation of the work station. 5 wg/m³ (respirable dust) Appropriate engineering controls Ensure good ventilation of the work station. 5 wg/m³ (respirable dust) Band protection measures/Personal Vertex equipment Hand protection: Ensure goog stafety glasses. Safety glasses Eye protection: Ensure goog stafety glasses. Safety glasses Skin and body protection: Ensure goog stafety glasses. Safety glasses	USA - OSHA - Occupational Exposure Limits		
S mg/m³ (respirable fraction) OSHA PEL (Ceiling) 15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NIOSH - Occupational Exposure Limits 10 mg/m³ (total dust) 5 mg/m³ (respirable dust) NIOSH REL (TWA) 10 mg/m³ (total dust) 5 mg/m³ (respirable dust) 8.2. Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls 8.3. Individual protection measures/Personal protective equipment Hand protection: Impermeable protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Skin and body protection:	Local name	Zinc stearate	
5 mg/m³ (Respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1 USA - NIOSH - Occupational Exposure Limits NIOSH REL (TWA) 10 mg/m³ (total dust) 5 mg/m³ (respirable dust) 8.2. Appropriate engineering controls Appropriate engineering controls Environmental exposure controls S.1. Individual protection measures/Personal Portection: Impermeable protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Skin and body protection:	OSHA PEL (TWA) [1]		
USA - NIOSH - Occupational Exposure Limits NIOSH REL (TWA) 10 mg/m³ (total dust) 5 mg/m³ (respirable dust) 8.2. Appropriate engineering controls Appropriate engineering controls Ensure good ventilation of the work station. Band protection measures/Personal protective equipment Hand protection: Impermeable protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Skin and body protection:	OSHA PEL (Ceiling)		
NIOSH REL (TWA) 10 mg/m³ (total dust) 5 mg/m³ (respirable dust) 8.2. Appropriate engineering controls 5 Appropriate engineering controls : Appropriate engineering controls : Appropriate engineering controls : Environmental exposure controls : A. Individual protection measures/Personal protective equipment B.3. Individual protection measures/Personal protective equipment Hand protection: Impermeable protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Skin and body protection:	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
5 mg/m³ (respirable dust) 8.2. Appropriate engineering controls Appropriate engineering controls Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment Hand protection: Impermeable protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Skin and body protection:	USA - NIOSH - Occupational Exposure Limits		
Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment Hand protection: Impermeable protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Skin and body protection:	NIOSH REL (TWA)		
Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment Hand protection: Impermeable protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Skin and body protection:	8.2. Appropriate engineering controls		
Hand protection: Impermeable protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Skin and body protection:		-	
Impermeable protective gloves Eye protection: Chemical goggles or safety glasses. Safety glasses Skin and body protection:	8.3. Individual protection measures/Personal protective equipment		
Eye protection: Chemical goggles or safety glasses. Skin and body protection:	Hand protection:		
Chemical goggles or safety glasses. Safety glasses Skin and body protection:	Impermeable protective gloves		
Skin and body protection:	Eye protection:		
	Chemical goggles or safety glasses. Safety glasses		
Wear suitable protective clothing	Skin and body protection:		

Safety Data Sheet

according to US HazCom 2012

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state		Solid
Color	÷	No data available
	·	
Odor	:	No data available
Odor threshold	:	No data available
рН	:	No data available
Melting point	:	No data available
Freezing point	:	Not applicable
Boiling point	:	No data available
Flash point	:	Not applicable
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability	:	Non flammable.
Vapor pressure	:	No data available
Relative vapor density at 20 °C	:	No data available
Relative density	:	No data available
Density (g/cm3)	:	1.34
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No data available
Viscosity, kinematic	:	Not applicable
Viscosity, dynamic	:	No data available
Explosion limits	:	Not applicable
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Safety Data Sheet

according to US HazCom 2012

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological infor	nation
11.1. Information on toxicological eff	fects
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)
Calcium carbonate (471-34-1)	
LD50 oral rat	6450 mg/kg
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LC50 Inhalation - Rat	> 3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
Pentaerythritol tetrakis(3-(3,5-di-tert	-butyl-4-hydroxyphenyl)propionate) (6683-19-8)
LD50 oral rat	> 10250 mg/kg
LD50 dermal rabbit	> 3160 mg/kg
Pentaerythritol (115-77-5)	
LD50 oral rat	19500 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LC50 Inhalation - Rat	> 5.15 mg/l/4h
Zinc stearate (557-05-1)	
LD50 oral rat	> 10 g/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 200 mg/l (Exposure time: 1 h)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
∕iscosity, kinematic	: Not applicable
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

Safety Data Sheet

according to US HazCom 2012

SECTION 12: Ecological information

12.1. Toxicity

Calcium carbonate (471-34-1)			
LC50 - Fish [1]	> 100 mg/l		
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea		
Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (6683-19-8)			
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])		
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)		
Pentaerythritol (115-77-5)			
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])		
EC50 - Crustacea [1]	30477 – 37043 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential		
Calcium carbonate (471-34-1)		
BCF - Fish [1]	(no bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	-2.12	
Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (6683-19-8)		
Partition coefficient n-octanol/water (Log Pow)	23 (at 25 °C)	
Pentaerythritol (115-77-5)		
BCF - Fish [1]	0.3 – 0.6	
Zinc stearate (557-05-1)		
Partition coefficient n-octanol/water (Log Pow)	1.2	
12.4. Mobility in soil		
Calcium carbonate (471-34-1)		
Mobility in soil	4.971 Source: Quantitative Structure Activity Relation	
12.5. Other adverse effects		
	No additional information available Avoid release to the environment.	

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods Product/Packaging disposal recommendations Ecology - waste materials	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.

Safety Data Sheet

according to US HazCom 2012

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	ΙΑΤΑ
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information availabl	e		

14.6. Special precautions for user

DOT Not regulated

TDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

N/A

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act
(TSCA) inventory, except for:

56%

Wood Fiber Dust

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Safety Data Sheet

according to US HazCom 2012

SECTION 16: Other information

according to US HazCom 2012 Revision date Other information

: 12/07/2021 : None.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Eva-tech=

Disclaimer and copyright

Document disclaimer

The provided information is offered in good faith as accurate but without guarantee. Eva-Last makes no warranties or representations of any kind (express or implied) about the accuracy, adequacy, currency, or completeness of the information, or that it is necessarily suitable for the intended use.

Compliance with this document does not guarantee immunity from breach of any statutory requirements, building codes or relevant standards. The final responsibility for the correct design and specification rests with the designer and, for its satisfactory execution, with the contractor. Appropriate warnings and safe handling procedures should be provided to handlers and users.

While most data have been compiled from research, case histories, experience and testing, small changes in the environment can produce marked differences in performance. The decision to use a material, and in what manner, is made at your own risk. The use of a material and method may therefore need to be modified to its intended end use and environment.

Eva-Last, its directors, officers or employees shall not be responsible for any direct, indirect, or special loss or damage arising from, or as a consequence of, use of, or reliance upon, any information contained in this document or other documents referenced herein. Eva-Last expressly disclaims any liability which is based on or arises out of the information or any errors, omissions or misstatements herein.

Drawing disclaimer

All dimensions and specifications are offered in good faith as accurate but without guarantee. The information captured herein may not contain complete details. Eva-Last makes no warranties or representations of any kind (express or implied) about the accuracy, adequacy, currency, or completeness of the information, or that it is necessarily suitable for the intended use.

Compliance with this document does not guarantee immunity from breach of any statutory requirements, building codes or relevant standards. The final responsibility for the correct design and specification rests with the designer and, for its satisfactory execution, with the contractor.

Utilisation disclaimer

Legislation may differ between jurisdictions. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional. Be sure to comply with material manufacturer specifications. Where manufacturers and building codes differ, revert to the building code requirements. Check that your choice of product is suitable for its intended application. For further product specification and information visit www.eva-last.com.

Copyright

If reprinted or reproduced or utilised in any form Eva-Last should be acknowledged as the source of the information.

Eva-Last periodically updates the information contained in this document as well as that of the Eva Last documents that have been referenced herein. Before using this document, please refer to the Eva-Last website (www.eva-last.com) for the most up-to-date documents.

Contact information

Eva-Last Room 1203, 12/F Tower 333 Canton Road, Tsimshatsui, Hong Kong, China **Email:** info@eva-last.com **Website:** www.eva-last.com